

Friday, January 08, 2016 7:39:08 AM

D 4822-2
B 140558
REV. C

140558

Page 1

Accept

N900040100

Setup Start *NS1*

Stop *NS2*

Item Name: Upper Right Deflector

Start Date: 1/7/2016 **Start Qty:** 6.00 ***6***

Cust Item ID:

Required Date: 1/7/2016 **Req'd Qty:** 6.00 ***6***

Customer:

Reference:

Approvals: Process Plan: Date: Tooling: Date:
 QC: Date: SPC (Y/N): Date:

Run	Start	*NR1*
	Stop	*NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D4822	C

100	0.00	DAS	JAN 13 2016	3
100		13		
		9.89		

Bandsaw	Memo	0.00
Jeaspa Bandsaw	CUT AT 32.00" LONG	
	1 length make 2 parts	

110		0.00	DAS 13	JAN 13 2016	30870
110			9-89		
Outsource5	Memo	0.00			

Outsource process - Machining

Memo
ISSUE P/O: 30870
POSSIBLE SUPPLIER: WEJAY

Certificate of conformaty required

115	Receive & Inspect for Damage & Mat'l Certs	0.00
-----	--	------

FEB 2 - 2016

DAS
6
8-89

115

Packaging

Memo	0.00
------	------

Packaging

receive 5x 8/16-03-8

Work Order ID 140558

Friday, January 08, 2016 7:39:08 AM

140558

Page 2

Item ID: D4822-2 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Upper Right Deflector
Start Date: 1/7/2016 Start Qty: 6.00 ***6*** Cust Item ID:
Required Date: 1/7/2016 Req'd Qty: 6.00 ***6*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
117	QC6- Inspect dimensions to drawing	0.00							DAS 38 9-89
117									
QC	Memo	0.00							
Quality Control									FEB 22 2016
120		0.00							DAS 13 9-89
120									
Outsource4	Memo	0.00							
Outsource process - Anodize	HARD ANODIZE IAW MIL-A-8625 TYPE 3 COLOUR BLACK PRIME AS PER DWG NOTE #2								FEB 23 2016 5X SP 16-03-8
122	QC14- Inspect Spray Paint	0.00							DAS 38 9-89
122									
QC	Memo	0.00							
Quality Control									MAR 09 2016

P/O: 31446

Work Order ID 140558***140558***

Page 3

Friday, January 08, 2016 7:39:08 AM

Item ID: D4822-2 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Upper Right Deflector
Start Date: 1/7/2016 Start Qty: 6.00 ***6*** Cust Item ID:
Required Date: 1/7/2016 Req'd Qty: 6.00 ***6*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140	QC5- Inspect part completeness to step on W/O	0.00							DAS 38 9-89
140						(5)			
QC	Memo	0.00							
Quality Control									MAR 09 2016
170	Identify as per dwg & Stock Location: <u>CF040</u>	0.00							
170						S			DAS 6 9-89
Packaging	Memo	0.00							MAR 11 2016
Packaging									
190	QC21- Final Inspection - Work Order Release	0.00							
190									
QC	Memo	0.00							
Quality Control									16/1/14 J

MLJ MAR 14 2016

Picklist Print

Friday, January 08, 2016 7:39:08 AM

Page 1

Work Order ID: 140558

140558

Parent Item: D4822-2

D4822-2

Parent Item Name: Upper Right Deflector

Start Date: 1/7/2016


Required Date: 1/7/2016

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP REV:A NEW ISSUE 13-04-19 JLM VERIFIED BY:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4822-2P		Purchased	No				Each	0.0000		6			
D4822-2P									**	5			
Upper Right Deflector													
M7075T6B4.000X4.000		Purchased	No				f	24.0004		17.05263			
M7075T6B4 000X4 000									**	8.526315			
7075-T6 BAR 4.000" X 4.000"													
CUT AT 32" LONG													
				<u>Location</u>			<u>Loc Qty</u>		<u>Loc Code</u>				
				MAT024			24.0004						
				m133930			24.0004						



D4822-1 UPPER DEFLECTOR LH


D4822-2 UPPER DEFLECTOR RH

SEEK COPY
 TO COPY TO
 ENGINEERING
 UNCOMPROMISED COPY
 SUBJECT TO ALL DOCUMENT
 WITH NO RESERVE
 WORK ORDER
 NO 140558 MLC
 16-01-07

RELEASED
 2014 FEB 25
 ECU 14-516

C	DRAWING REVISED TO NEW CUSTOMER CAD DATA, RIVET HOLES ADDED	DB	14.02.04
B	CORRECTED WEIGHT	DW	13.09.24
A	NEW RELEASE	DB	13.05.23
REV.	DESCRIPTION	BY	DATE
DESIGN	DB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	DC	DRAWING NO.	REV. C
MFG. APPR.	EPDMA	D4822	SHEET 1 OF 3
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	UPPER DEFLECTOR	NTS
DATE	14.02.04	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

APPROVED




RELEASED


2014 FEB 25

APPROVED	DESIGN	DB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
	DRAWN	VS		
	CHECKED	DC	DRAWING NO.	REV. C
	MFG. APPR.	EPDMA	D4822	SHEET 2 OF 3
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DS	UPPER DEFLECTOR	NTS
DATE		14.02.04	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


8 7 6 5 4 3 2 1



SECTION E-E
SCALE 2X



SECTION F-F
SCALE 2X



VIEW D-D
SCALE 1X

D4822-2 UPPER DEFLECTOR RH

RELEASED
2014 FEB 25

NOTES:

- 1) MATERIAL: 7075-T6 (OR T651/T6510/T6511/T62) ALUMINUM BAR
PER AMS-QQ-A-225/9 (OR AMS 4122/4123/4186/4187) OR
PER AMS-QQ-A-200/11 (REF DART SPEC. M7075T6B)
- 2) FINISH: HARD ANODIZE IAW MIL-A-8625F TYPE III, CLASS 2, COLOR BLACK,
PRIME IAW MIL-P-23377J TYPE I CLASS N; 1-2 MIL MAX, AS PER QSI 005.
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4822-2", AGUSTA WESTLAND P/N "TBD", REVISION, BATCH NUMBER AND MANUFACTURE DATE,
USING AN X-TENSION STAMP, AS PER QSI 044 METHOD 6.2
- 7) WEIGHT: 1.22 LBS (0.6 KG)
- 8) PART DIMENSIONS CONTROLLED BY CAD MODEL FILE: D4822-2-c.IGES (D4822-2-c.STEP)

APPROVED

DESIGN	DB	DART AEROSPACE LTD	
DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	DC	DRAWING NO.	REV. C
MFG. APPR.	EPDMA	D4822	SHEET 3 OF 3
APPROVED	HS	TITLE	SCALE
DE APPR.	OS	UPPER DEFLECTOR	NTS
DATE	14.02.04	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PROPRIETARY AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE REPRODUCED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

8 7 6 5 4 3 2 1



600 O'CONNOR DRIVE
KINGSTON, ONTARIO
K7P 1N3

INSPECTION / TEST REPORT

JOB No. 37749

PAGE: 1 of 1

CUSTOMER: Dart Aerospace

CUST. P.O.# 1030870

PART No. D4822-1

DESCRIPTION: Deflector Left Hand

DWG No. D4822

REV. C

E.C.O. --

MATERIAL:

INSPECTOR: *[Signature]*

QUANTITY
REC'D: 1

ACCEPT: 1


REJECT: --

N.C.R.# --

DATE: JAN 29/16

INSTRUCTIONS, COMMENTS: Standard Tolerances per DART QSI 018 unless otherwise noted
-First Article Inspection-

ITEM REF. No.	CHARACTERISTIC (DIMS IN mm)	DETAILS	TOLERANCE	DWG SHT/ZONE	RESULT	QTY. INSP.	COMMENTS (ACC. REJ. REW. NMR #)
1	29.29"	View A-A	±.03	2/C6	29.31	1	Acc-
2	R163" ref		±.10	2/D7	0.2	1	"
3	47°		±.5°	2/C8	46.5°	1	"
4	83°		±.5°	2/D5	82.5°	1	"
4A	R 0.38" typ.		±.03	2/D4	R.38 TYP	1	"
5	3.30"		±.03	2/C8	3.311	1	"
6	0.79" typ.		±.03	2/D5	800/-811	1	"
7	2.47		±.03	2/D5	2.455/2.470	1	"
8	R 0.13 typ.		±.03	2/C6	R.125 TYP	1	"
9	R0.50" typ		±.03	2/B8	R.500 TYP	1	"
10	Ø0.206 hole thru	10 pl.	+0.005/-0.001	2/B5	Ø.208 TYP.	1	"
11	2.441"		±.010	2/B7	2.443	1	"
12	3.256" typ.	8 pl.	±.010	2/B7	3.255/3.258	1	"
13	0.65" typ.	10 pl.	±.03	2/B4	.643/.646	1	"
14	0.157"	Section B-B	±.01	2/D3	.158/.164	1	"
15	R0.13" typ.		±.03	2/D2	R-.19 TYP.	1	"
16	.099"		±.01	2/D2	.099/.105	1	"
17	1.04"		±.03	2/D3	1.040/1.044	1	"
18	1.87"	Section C-C	±.03	2/D3	1.875/1.878	1	"
19	0.236"		±.01	2/B1	.236/.243	1	"
20	0.157"		±.01	2/C3	.158/.164	1	"
21	2.01"		±.03	2/B3	2.012/2.017	1	"
22	1.04"		±.03	2/B2	1.040/1.044	1	"
23	R0.13" → .197 R ON E-MODEL		±.10	2/C2	R=.187 TYP.	1	"
24	Deburring	Per note 5	.005-.010	2/A8	0.2	1	"
25	Identification	Per note 6		2/A8	N/A	1	"





Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO30870**

Purchase Order Date 1/5/2016

PO Print Date 1/13/2016

Page Number 1 of 3

Order From :

VC-WMP001

WEJAY MACHINE PRODUCTS CO. LTD
600 O'CONNOR DRIVE
KINGSTON, ONTARIO K7P 1N3
CANADA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED

REVISED QTY

Contact Name

Vendor Phone 613-384-1662

Ship To Contact

Ship To Phone

Ship Via: FedEx Overnight collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	D4822-1P MACHINE AS PER DWG D4822 REV. C B138910	Upper Deflector, RH	2/23/2016 Yes 2/23/2016		8.00 / Each	\$1,090.00	\$8,720.00
Line Total:							\$8,720.00
2	D4822-2P MACHINE AS PER DWG D4822 REV. C B140388	Upper Right Deflector	2/23/2016 Yes 2/23/2016		8.00 / Each	\$1,090.00	\$8,720.00
Line Total:							\$8,720.00
4	D4822-1P MACHINE AS PER DWG D4822 REV. C B140557	Upper Deflector, RH	2/23/2016 Yes 2/23/2016		3 / 4.00 Each	\$1,090.00	\$4,360.00

PO Instructions: quotation no. WJ-8785

Note:

1/13/2016



600 O'CONNOR DRIVE
KINGSTON, ONTARIO
K7P 1N3

INSPECTION / TEST REPORT

JOB No.

37749

PAGE: 1 of 1

CUSTOMER: Dart Aerospace

CUST. P.O.# P030870

PART No. D4822-2

DESCRIPTION: Deflector Right Hand

DWG No. D4822

REV. C

E.C.O. --

MATERIAL:

INSPECTOR: [Signature]

QUANTITY
REC'D: 1

ACCEPT: 1

REJECT: -

N.C.R.# -

DATE:

JAN 29 / 14

INSTRUCTIONS, COMMENTS: Standard Tolerances per DART QSI 018 unless otherwise noted

ITEM REF. No.	CHARACTERISTIC (DIMS IN mm)	DETAILS	TOLERANCE	DWG SHT/ZONE	RESULT	QTY. INSP.	COMMENTS (ACC. REJ. REW. NMR #)
1	47°	View D-D	±.5°	3/B5	46.5°	1	Acc.
2	83°		±.5°	3/B2	82.5°	1	"
3	R 0.38" typ.		±.03	3/B1	R.38 typ.	1	"
4	3.30"		±.03	3/C5	3.308	1	"
5	0.79" typ.		±.03	3/B1	.794/.805	1	"
6	2.47		±.03	3/B3	2.457/2.460	1	"
7	R 0.13 typ.		±.03	3/C4	R.125 typ.	1	"
8	29.29"		±.03	3/C3	29.315	1	"
9	R0.50" typ		±.03	3/D5	R.500 typ.	1	"
10	Ø0.206 hole thru	10 pl.	+0.005/-0.001	3/D1	.2068 typ.	1	"
11	2.441"		±.010	3/D4	2.442	1	"
12	3.256" typ.	8 pl.	±.010	3/D4	3.255/3.257	1	"
13	0.65" typ.	10 pl.	±.03	3/D5	.648/.652	1	"
14	0.157"	Section E-E	±.01	3/D6	.1595/.161	1	"
15	R0.13" typ. - .197" RAD ON E-MODEL		±.03	3/D7	R.190 typ.	1	"
16	.099"		±.01	3/D7	.097/.107	1	"
17	1.04"		±.03	3/D8	1.045/1.046	1	"
18	1.87"	Section F-F	±.03	3/C7	1.869/1.874	1	"
19	0.236"		±.01	3/C7	.233/.244	1	"
20	0.157"		±.01	3/B6	.1595/.161	1	"
21	2.01"		±.03	3/B7	2.003/2.010	1	"
22	1.04"		±.03	3/B8	1.045/1.046	1	"
23	R0.13" - .197" RAD ON E-MODEL		±.10	3/B7	R.190 typ.	1	"
24	Deburring	Per note 5	.005-.010	3/A8	O.K.	1	"
25	Identification	Per note 6		3/A8	N/A	1	"



600 O'CONNOR DRIVE
KINGSTON, ONTARIO
K7P 1N3

INSPECTION / TEST REPORT

JOB No. 37749

PAGE: 1 of 1

CUSTOMER: Dart Aerospace

CUST. P.O.# PD30870

PART No. D4822-2

DESCRIPTION: Deflector Right Hand

DWG No. D4822

REV. C

E.C.O. --

MATERIAL:

INSPECTOR: *Chafalst*

QUANTITY
REC'D: 1

ACCEPT: 1

REJECT: —

N.C.R.# —

DATE: FEB 5/16

INSTRUCTIONS, COMMENTS: Standard Tolerances per DART QSI 018 unless otherwise noted

ITEM REF. No.	CHARACTERISTIC (DIMS IN mm)	DETAILS	TOLERANCE	DWG SHT/ZONE	RESULT	QTY. INSP.	COMMENTS (ACC. REJ. REW. NMR #)
1	47°	View D-D	±.5°	3/B5	46.5°	1	Acc.
2	83°		±.5°	3/B2	82.5°	1	"
3	R 0.38" typ.		±.03	3/B1	R.38 TYP.	1	"
4	3.30"		±.03	3/C5	3.311	1	"
5	0.79" typ.		±.03	3/B1	-780/-.795	1	"
6	2.47		±.03	3/B3	2.460/2.477	1	"
7	R 0.13 typ.		±.03	3/C4	R.125 TYP.	1	"
8	29.29"		±.03	3/C3	29.3	1	"
9	R0.50" typ		±.03	3/D5	R.500 TYP.	1	"
10	Ø0.206 hole thru	10 pl.	+0.005/-0.001	3/D1	208 Ø TYP.	1	"
11	2.441"		±.010	3/D4	2.444	1	"
12	3.256" typ.	8 pl.	±.010	3/D4	3.255/3.258	1	"
13	0.65" typ.	10 pl.	±.03	3/D5	649/1.651	1	"
14	0.157"	Section E-E	±.01	3/D6	159/1.161	1	"
15	R0.13" typ. → .197" RAD ON E-MODEL		±.03	3/D7	R.190 TYP.	1	"
16	.099"		±.01	3/D7	101/1.106	1	"
17	1.04"		±.03	3/D8	1.044/1.047	1	"
18	1.87"	Section F-F	±.03	3/C7	1.874/1.877		"
19	0.236"		±.01	3/C7	238/1.243	1	"
20	0.157"		±.01	3/B6	159/1.161	1	"
21	2.01"		±.03	3/B7	2.008/2.015	1	"
22	1.04"		±.03	3/B8	1.044/1.047	1	"
23	R0.13" → .197" RAD ON E-MODEL		±.10	3/B7	R.190 TYP.	1	"
24	Deburring	Per note 5	.005-.010	3/A8	PASSED	1	"
25	Identification	Per note 6		3/A8	N/A	1	"



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO31446

Purchase Order Date 2/23/2016

PO Print Date 2/23/2016

Page Number 4 of 6

Order From :

VC-ATG001

Ship To : DART AEROSPACE LTD

A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

613-446-4544

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Ship To Contact

Ship To Phone

Terms

Net 30

Ship Via:

VENDOR'S TRUCK

Currency

CAD

Ship Acct:

FOB

FCA - (Free Carrier)

9	140557	D4822-1 UPPER DEFLECTOR REV. C	3/4/2016	3.00	\$33.85	\$101.54
---	--------	-----------------------------------	----------	------	---------	----------

Yes
3/4/2016

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE I CLASS N

Line Total: \$101.54

10	140388	D4822-2 UPPER DEFLECTOR REV. C	3/4/2016	9.00	\$31.28	\$281.54
----	--------	-----------------------------------	----------	------	---------	----------

Yes
3/4/2016

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE I CLASS N

Line Total: \$281.54

11	140558	D4822-2 UPPER DEFLECTOR REV. C	3/4/2016	6.00	\$31.92	\$191.54
----	--------	-----------------------------------	----------	------	---------	----------

Yes
3/4/2016


FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE I CLASS N

Line Total: \$191.54

PO Instructions: admin fee included in unit price.

Note:

2/23/2016



A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE STREET
ROCKLAND, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 911349

Date: 04-Mar-16

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

CHANTAL LAVOIE

Terms		Ship Via	
Quantity	Description		
PLEASE REFERENCE THE PACK LIST NUMBER ON ALL CORRESPONDENCE TO THIS SHIPMENT. IF YOU HAVE ANY QUESTIONS, PLEASE CALL AT (613) 446-4544.			
9 ea	Part: 140388 D4822-2 UPPER DEFLECTOR Job: 19214	Rev: C PO: PO31446	Line: 10
5 ea	Part: 140558 ✓ D4822-2 UPPER DEFLECTOR Job: 19215	Rev: C PO: PO31446	Line: 11
172 ea	Part: 141064 646.3210 SUPPORT Job: 19208	Rev: N/C PO: PO31446	Line: 4
2 ea	Part: 140187 646.3210 SUPPORT Job: 19209	Rev: N/C PO: PO31446	Line: 5
14 ea	Part: 141103 646.3610 FILLER Job: 19210	Rev: N/C PO: PO31446	Line: 6
15 ea	Part: 141041 646.3810 BRACKET Job: 19211	Rev: N/C PO: PO31446	Line: 7
9 ea	Part: 138910 D4822-1 UPPER Job: 19212	Rev: C PO: PO31446	Line: 8
DATE: 4/3/16			
CERTIFIED SIGNATURE: [Signature]			



A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE STREET
ROCKLAND, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 911349

Date: 04-Mar-16

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury ON K6A 1K7

Ship To

CHANTAL LAVOIE

Terms	Ship Via						
<table border="1"><thead><tr><th>Quantity</th><th>Description</th></tr></thead><tbody><tr><td></td><td>RECEIVER SIGNATURE : <u>SP16-03-8</u></td></tr><tr><td colspan="2"> Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt. CERTIFICATE OF CONFORMANCE A.T.G. INDUSTRIES INC. CERTIFIES THAT ALL ITEMS IN THIS SHIPMENT CONFORM TO REQUIREMENTS. MADE IN CANADA. </td></tr></tbody></table>		Quantity	Description		RECEIVER SIGNATURE : <u>SP16-03-8</u>	Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt. CERTIFICATE OF CONFORMANCE A.T.G. INDUSTRIES INC. CERTIFIES THAT ALL ITEMS IN THIS SHIPMENT CONFORM TO REQUIREMENTS. MADE IN CANADA.	
Quantity	Description						
	RECEIVER SIGNATURE : <u>SP16-03-8</u>						
Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt. CERTIFICATE OF CONFORMANCE A.T.G. INDUSTRIES INC. CERTIFIES THAT ALL ITEMS IN THIS SHIPMENT CONFORM TO REQUIREMENTS. MADE IN CANADA.							